

# KENWOOD



CAR ENTERTAINMENT  
2022



## DMX9720XDS



10.1" HD Digital Multimedia Receiver with Built-in DAB Tuner

<b>HD</b> 1280x720 DISPLAY	CAPACITIVE TOUCH PANEL	WIRELESS MIRRORING	HIGH QUALITY SOUND PARTS	REMOTE APP	MUSIC MIX x5	DUAL PHONE CONNECTION	13Band EQ DTA				
DASH CAM LINK	4x CAMERA INPUTS	PARKING GuideLines	WiFi CERTIFIED	Hi-Res AUDIO	Hi-Res AUDIO WIRELESS	LDAC	dab+	Bluetooth®	Made for iPhone	HDMI	3 PRE-OUTS 5.0V



## DMX8021DABS



7.0" Multimedia Receiver with Built-in DAB Tuner

CAPACITIVE TOUCH PANEL	MULTI- WIDGET	WIRELESS MIRRORING	REMOTE APP	MUSIC MIX x5	DUAL PHONE CONNECTION	13Band EQ DTA	DASH CAM LINK	4x CAMERA INPUTS		
PARKING GuideLines	HDMI Type-D	USB Type-C	SHORT CHASSIS	WiFi CERTIFIED	Hi-Res AUDIO	dab+	Bluetooth®	Made for iPhone	HDMI	3 PRE-OUTS 5.0V



## DMX8020DABS



7.0" Multimedia Receiver with Built-in DAB Tuner

CAPACITIVE TOUCH PANEL	MULTI- WIDGET	WIRELESS MIRRORING	REMOTE APP	MUSIC MIX x5	DUAL PHONE CONNECTION	13Band EQ DTA	DUAL USB		
DASH CAM LINK	THREE CAMERA INPUTS	PARKING GuideLines	WiFi CERTIFIED	Hi-Res AUDIO	dab+	Bluetooth®	Made for iPhone	HDMI	3 PRE-OUTS 5.0V



## DMX7722DABS



6.8" Multimedia Receiver with Built-in DAB Tuner

CAPACITIVE TOUCH PANEL	androidUSB MIRRORING	MUSIC MIX x5	DUAL PHONE CONNECTION	13Band EQ DTA	DUAL CAMERA INPUT	PARKING GuideLines	SHORT CHASSIS
WiFi CERTIFIED	dab+	Bluetooth®	Made for iPhone	HDMI	3 PRE-OUTS 2.5V		



## DMX7520DABS



6.8" Multimedia Receiver with Built-in DAB Tuner

CAPACITIVE TOUCH PANEL	USB MIRRORING	REMOTE APP	MUSIC MIX x5	DUAL PHONE CONNECTION	13Band EQ DTA	DASH CAM LINK	THREE CAMERA INPUTS	PARKING GuideLines
Hi-Res AUDIO	dab+	Bluetooth®	Made for iPhone	HDMI	3 PRE-OUTS 5.0V			




### USB Type-C:

USB Type-C cable and USB Type-A adapter are included to the set. Rapidly charge your compatible Android smartphone with the USB port, up to a maximum of 3.0A.



### Short Chassis:

With Multimedia receivers reduced depth of the chassis, installation is made easier in a wider range of cars.





**DMX5020DABS**



6.8" Multimedia Receiver with Built-in DAB Tuner



**DMX5020BTS**



6.8" Multimedia Receiver



**DMX125DAB**

6.8" Multimedia Receiver with Built-in DAB Tuner



**DMX120BT**

6.8" Multimedia Receiver



GPS NAVIGATION SYSTEMS

guidance by **GARMIN**



**DNX9190DABS**




GPS Navigation System / DVD Multimedia Receiver with 6.8 inch HD Display



**DNX7190DABS**




GPS Navigation System / DVD Multimedia Receiver with 7.0 inch WVGA Display



**DNX5190DABS**



GPS Navigation System / DVD Multimedia Receiver with 6.8 inch WVGA Display





**KMM-BT508DAB**

Digital Media Receiver with DAB Tuner & Bluetooth

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 VARIABLE COLOR ILLUMINATION  
 FRONT USB-AUX  
 SHORT CHASSIS  
 2 PRE-OUTS 2.5V  
 dab+ | alexa | built-in | Bluetooth | Made for iPhone



**KMM-BT408DAB**

Digital Media Receiver with DAB Tuner & Bluetooth

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 FRONT USB-AUX  
 SHORT CHASSIS  
 1 PRE-OUT 2.5V  
 dab+ | Bluetooth



**KMM-BT358\***

Digital Media Receiver with Bluetooth® Technology

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 VARIABLE COLOR ILLUMINATION  
 FRONT USB-AUX  
 SHORT CHASSIS  
 3 PRE-OUTS 5.0V  
 Bluetooth | Made for iPhone

*\* Limited Distribution*



**KMM-BT309**

Digital Media Receiver with Bluetooth® Technology

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 VARIABLE COLOR ILLUMINATION  
 FRONT USB-AUX  
 SHORT CHASSIS  
 3 PRE-OUTS 2.5V  
 Bluetooth | Made for iPhone



**KMM-BT209**

Digital Media Receiver with Bluetooth® Technology

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 FRONT USB-AUX  
 SHORT CHASSIS  
 1 PRE-OUT 2.5V  
 Bluetooth



**KMM-DAB307**

Digital Media Receiver with DAB Tuner

13Band EQ DTA  
 3-Way Xover  
 FRONT USB-AUX  
 SHORT CHASSIS  
 1 PRE-OUT 2.5V  
 dab+



**KMM-205**

Digital Media Receiver with Front USB & AUX Input

3Band EQ  
 FRONT USB-AUX  
 SHORT CHASSIS  
 Made for iPhone  
 1 PRE-OUT 2.5V



**KMM-125\***

Digital Media Receiver with Front USB & AUX Input

3Band EQ  
 FRONT USB-AUX  
 VARIABLE COLOR ILLUMINATION  
 SHORT CHASSIS  
 2 PRE-OUTS 2.5V

*\* Limited Distribution*



**KMM-106\***

Digital Media Receiver with Front USB & AUX Input

3Band EQ  
 FRONT USB-AUX  
 SHORT CHASSIS  
 3 PRE-OUTS 2.5V

*\* Limited Distribution*



KMM-105RY ●



KMM-105GY ●

**KMM-105RY\* / KMM-105GY\***

Digital Media Receiver with Front USB & AUX Input

3Band EQ  
 FRONT USB-AUX  
 SHORT CHASSIS  
 1 PRE-OUT 2.5V

*\* Limited Distribution*



**DPX-M3300BT**

2-DIN Digital Media Receiver with Bluetooth® Technology

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 VARIABLE COLOR ILLUMINATION  
 FRONT USB-AUX  
 SHORT CHASSIS  
 2 PRE-OUTS 2.5V  
 Bluetooth | Made for iPhone



**KMR-M508DAB**

Digital Media Receiver with DAB Tuner & Bluetooth® Technology

DUAL PHONE CONNECTION  
 MUSIC MIX x5  
 REMOTE APP  
 13Band EQ DTA  
 3-Way Xover  
 FRONT USB-AUX  
 SHORT CHASSIS  
 CONFORMAL COATING  
 2 PRE-OUTS 2.5V  
 dab+ | alexa | built-in | Bluetooth | Made for iPhone



**KAC-M1814**

Compact 4-Channel Digital Amplifier

MAX POWER	400W
RMS POWER	45W x 4 4Ω 45W x 4 2Ω 90W x 2 Bridged



**KFC-1653MRW**

160mm Water Resistant 2-Way Speaker

PEAK POWER	150W
RMS POWER	50W



**KDC-BT960DAB**

CD Receiver with DAB Tuner & Bluetooth® Technology

3 PRE-OUTS  
5.0V



**KDC-BT760DAB**

CD Receiver with DAB Tuner & Bluetooth® Technology

2 PRE-OUTS  
2.5V



**KDC-BT665U**

CD Receiver with Bluetooth® Technology

2 PRE-OUTS  
2.5V



**KDC-BT560DAB**

CD Receiver with DAB Tuner & Bluetooth® Technology

1 PRE-OUT  
2.5V



**KDC-BT460U**

CD Receiver with Bluetooth® Technology

1 PRE-OUT  
2.5V



**KDC-BT450DAB**

CD Receiver with DAB Tuner & Bluetooth® Technology

1 PRE-OUT  
2.5V



**DPX-7300DAB**

2-DIN CD Receiver with DAB Tuner & Bluetooth® Technology

3 PRE-OUTS  
2.5V



**KDC-130UR / KDC-130UB / KDC-130UG**

CD Receiver with Front USB & AUX Input

1 PRE-OUT  
2.5V

RECEIVERS COMPATIBILITY CHART

Model	Panel	Display	Key Illumination	CD Playback	Front USB	iPod / iPhone	Alexa	Bluetooth	Bluetooth HFP Ver.	DAB	Front AUX IN	Steering Remote Control	Wireless Remote Control	Amplifier	PREOUT	Crossover Network	Audio Playback				
																	MP3	WMA	AAC	WAV	FLAC
<b>DIGITAL MEDIA RECEIVERS</b>																					
KMM-BT508DAB	Detachable	2 line	Variable	-	•	•	•	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	3-way	•	•	•	•	
KMM-BT408DAB	Detachable	1 line	Red	-	•	-	-	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	•	•	
KMM-BT358*	Detachable	2 line	Variable	-	•	•	•	•	• (1.7.1)	-	•	•	Optional	50W x 4 MOSFET	3 Pre-Outs 5.0V	3-way	•	•	•	•	
KMM-BT309	Detachable	2 line	Variable	-	•	•	•	•	• (1.7.1)	-	•	•	-	50W x 4 MOSFET	3 Pre-Outs 2.5V	3-way	•	•	•	•	
KMM-BT209	Detachable	1 line	Red	-	•	-	-	•	• (1.7.1)	-	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	-	•	
KMM-DAB307	Detachable	1 line	Red	-	•	-	-	-	-	•	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	-	•	
KMM-205	Detachable	1 line	Red	-	•	•	-	-	-	•	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	LPF	•	•	-	•	
KMM-125*	Detachable	2 line	Variable	-	•	-	-	-	-	•	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	LPF	•	•	-	•	
KMM-106*	Detachable	1 line	Red	-	•	-	-	-	-	•	•	•	Optional	50W x 4 MOSFET	3 Pre-Outs 2.5V	LPF	•	•	-	•	
KMM-105RY/GY*	Detachable	1 line	RY:Red, GY:Green	-	•	-	-	-	-	•	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	LPF	•	•	-	•	
<b>CD RECEIVERS</b>																					
KDC-BT960DAB	Detachable	2 line	Variable	•	•	•	•	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	3 Pre-Outs 5.0V	3-way	•	•	•	•	
KDC-BT760DAB	Detachable	2 line	Variable	•	•	•	•	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	3-way	•	•	•	•	
KDC-BT665U	Detachable	2 line	Variable	•	•	•	•	•	• (1.7.1)	-	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	3-way	•	•	•	•	
KDC-BT560DAB	Detachable	2 line	Variable	•	•	•	•	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	•	•	
KDC-BT460U	Detachable	1 line	Red	•	•	-	-	•	• (1.7.1)	-	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	-	•	
KDC-BT450DAB	Detachable	1 line	Red	•	•	-	-	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	3-way	•	•	-	•	
KDC-130UR/UB/UG	Detachable	1 line	UR:Red/UB:Blue UG:Green	•	•	-	-	-	-	-	•	•	-	50W x 4 MOSFET	1 Pre-Out 2.5V	LPF	•	•	-	•	
<b>2-DIN RECEIVERS</b>																					
DPX-7300DAB	Fixed	3 line	Variable	•	•	•	•	•	• (1.7.1)	(Antenna Incl.)	•	•	-	50W x 4 MOSFET	3 Pre-Outs 2.5V	3-way	•	•	•	•	
DPX-M3300BT	Fixed	3 line	Variable	-	•	-	-	•	• (1.7.1)	-	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	3-way	•	•	•	•	
<b>MARINE</b>																					
KMR-M508DAB	Detachable	2 line	Variable	-	•	•	•	•	• (1.7.1)	•	•	•	-	50W x 4 MOSFET	2 Pre-Outs 2.5V	3-way	•	•	•	•	

\* Limited distribution


# ACTIVE EQ TECHNOLOGY



## KSC-PSW7EQ

MAX POWER 160W

200mm Compact Powered Subwoofer with 3EQ Mode Wired Remote Control



Three types of bass to match the music of various genres equipped with ACTIVE EQ TECHNOLOGY.

- HEAVY: Deep and intense bass sound.
- FLAT: Natural and smooth bass sound.
- TIGHT: Rich and clean bass sound.

### SUBWOOFERS



## KSC-SW11

MAX POWER 150W  
RMS POWER 75W

200mm x 120mm Compact Powered Subwoofer with Wired Remote Control



## KSC-W1200B

MAX POWER 1200W  
RMS POWER 300W

300mm Box Subwoofer



## KSC-W1200T

MAX POWER 1200W  
RMS POWER 200W

300mm Tube Subwoofer



## KFC-WPS1200F

MAX POWER 1400W  
RMS POWER 350W

300mm Shallow Subwoofer



## KFC-PS3017W

MAX POWER 2000W  
RMS POWER 400W

300mm Subwoofer



## KFC-W112S

MAX POWER 800W  
RMS POWER 200W

300mm Subwoofer

## KFC-WPS1000F

MAX POWER 1000W  
RMS POWER 250W

250mm Shallow Subwoofer

## KFC-PS2517W

MAX POWER 1300W  
RMS POWER 300W

250mm Subwoofer

### AMPLIFIERS



## XH401-4

Hi-Res AUDIO  
MAX POWER 800W  
RMS POWER 75W x 4 4Ω  
100W x 4 4Ω  
200W x 2 Bridged

Class D 4-Channel Power Amplifier



## X802-5

Hi-Res AUDIO  
MAX POWER 1600W  
RMS POWER 50W x 4 + 300W 4Ω  
750W x 4 + 500W 4Ω  
1500W x 2

Class D 5-Channel Power Amplifier



## X302-4

Hi-Res AUDIO  
MAX POWER 600W  
RMS POWER 55W x 4 4Ω  
75W x 4 4Ω  
150W x 2 Bridged

Class D 4-Channel Power Amplifier

### COMPATIBILITY CHART

Model	Peak Power	RMS Power	Cone	Impedance	Frequency Response	Mounting Depth
KFC-WPS1200F	1400W	350W	Carbon Glass Fibre Honeycomb Cone	4Ω	30Hz - 700Hz	100mm
KFC-WPS1000F	1000W	250W	Carbon Glass Fibre Honeycomb Cone	4Ω	35Hz - 800Hz	85mm
KFC-PS3017W	2000W	400W	Polypropylene X-motif Cone with Diamond Array Pattern	4Ω	29Hz - 300Hz	137mm
KFC-PS2517W	1300W	400W	Polypropylene X-motif Cone with Diamond Array Pattern	4Ω	33Hz - 300Hz	124mm
KFC-W112S	800W	200W	PP Cone	4Ω	28Hz - 800Hz	138.6mm

Model	Peak Power	RMS Power	Cone	Frequency Response	Low-Pass Filter	Wired Remote	Signal Sensing Turn-on	Dimensions (W×H×D)
KSC-PSW7EQ	160W	-	Aluminium Diaphragm	40Hz-200Hz	50Hz-125Hz, -18dB/oct	•	•	280mm x 70mm x 200mm
KSC-SW11	150W	75W	Aluminium Diaphragm	35Hz - 150Hz	50Hz-125Hz, -18dB/oct	•	•	280mm x 70mm x 190mm

Model	Type	Max Power	RMS Power 4Ω	RMS Power 2Ω	RMS Power Bridged	HPF	LPF	Infrasonic Filter	Speaker Level Input	Signal Sensing Turn-On	Bass Boost	Dimensions W×H×D mm
XH401-4	Class D 4ch	800W	75W×4	100W×4	200W×2	Variable	Variable	-	Yes	Yes	-	220mm × 35mm × 169mm
X802-5	Class D 5ch	1600W	50W×4 +300W	75W×4 +500W	150W×2	Variable	Variable	-	Yes	Yes	Yes (Sub)	248mm × 53mm × 169mm
X302-4	Class D 4ch	600W	50W×4	75W×4	150W×2	Variable	Variable	-	Yes	Yes	Yes (Bch)	213mm × 53mm × 149mm
KAC-M1814	Class D 4ch	400W	45W×4	45W×4	90W×2	Variable	Variable	-	Yes	Yes	-	145mm × 45mm × 99mm

Magnetic Circuit with Aluminum Ring

# KFC-XS1704

Hi-Resolution Audio Certified 170mm 3-way Component Speaker



PEAK POWER	180W
RMS POWER	45W

Phase Correcting Diffuser

High Rigid Glass Fiber Diaphragm


2way Tweeter

Super Tweeter Voice Coil

Main Magnet

Tweeter Voice Coil

Sub Magnet



## KFC-X174

170mm 2-way Speaker

PEAK POWER	240W
RMS POWER	80W

## KFC-X134

130mm 2-way Speaker

PEAK POWER	160W
RMS POWER	40W



## KFC-X694

6"x9" 2-way Speaker

PEAK POWER	300W
RMS POWER	130W



## KFC-X712

7"x10" 3-way Speaker

PEAK POWER	400W
RMS POWER	80W



## KFC-PS1796

170mm 2-way Speaker

PEAK POWER	330W
RMS POWER	100W

## KFC-PS1396

130mm 2-way Speaker

PEAK POWER	320W
RMS POWER	75W

## KFC-PS1096

100mm 2-way Speaker

PEAK POWER	220W
RMS POWER	50W



## KFC-PS6996

6"x9" 5-way Speaker

PEAK POWER	650W
RMS POWER	150W

## KFC-PS6986

6"x9" 4-way Speaker

PEAK POWER	600W
RMS POWER	140W

## KFC-PS6976

6"x9" 3-way Speaker

PEAK POWER	550W
RMS POWER	130W



## KFC-PS6896C

6"x8" 2-way Speaker

PEAK POWER	360W
RMS POWER	81W

## KFC-PS5796C

5"x7" 2-way Speaker

PEAK POWER	320W
RMS POWER	80W



## KFC-S6966

6"x9" 3-way Speaker

PEAK POWER	400W
RMS POWER	45W



## KFC-S6976EX\*

6"x9" 3-way Speaker

PEAK POWER	500W
RMS POWER	80W

\* Limited Distribution



## KFC-S1676EX\*

160mm 2-way Speaker

PEAK POWER	330W
RMS POWER	60W

\* Limited Distribution



## KFC-S1766

170mm 2-way Speaker

PEAK POWER	300W
RMS POWER	30W

## KFC-S1366

130mm 2-way Speaker

PEAK POWER	260W
RMS POWER	30W



## KFC-S1756

170mm Dual Cone Speaker

PEAK POWER	300W
RMS POWER	30W

## KFC-S1356

130mm Dual Cone Speaker

PEAK POWER	260W
RMS POWER	30W



## KFC-E170P

170mm Component Speaker

PEAK POWER	300W
RMS POWER	30W

## KFC-E130P

130mm Component Speaker

PEAK POWER	250W
RMS POWER	30W

## KFC-S1066

100mm 2-way Speaker

PEAK POWER	220W
RMS POWER	21W

## KFC-S1056

100mm Dual Cone Speaker

PEAK POWER	220W
RMS POWER	21W

XS-SERIES

X-SERIES

PS-SERIES

E-SERIES / S-SERIES

### DRV-A700W

**Wide Quad HD**  
2560 x 1440

Dashboard Camera with Wireless Link  
Parking Cable Included



### DRV-A601W

**4K**

Dashboard Camera with Wireless Link



### DRV-A201

Dashboard Camera

**Full HD**  
1920 x 1080



### DRV-A301W

Dashboard Camera with Wireless Link

**Full HD**  
1920 x 1080



### DRV-A501W

Dashboard Camera with Wireless Link

**Wide Quad HD**  
2560 x 1440



### DRV-A100

Dashboard Camera

**HD**  
1280 x 720



### DRV-N520

Navigation Linkage Dashboard Camera

**Full HD**  
1920 x 1080

**DASH CAM LINK**



2-Way



### Optimal Rear Camera

#### KCA-R200

Optional Rear Camera for DRV-A601W  
8.0m Mini USB Cable Included.

**Wide Quad HD**  
2560 x 1440



#### KCA-R100

Optional Rear Camera for DRV-A700W/A501W  
8.0m Mini USB Cable Included.

**Full HD**  
1920 x 1080



Model	Screen Size	Touch Key	Number of Pixels	HDR / WDR Record Enhancement	Viewing Angle (Horizontal / Vertical)	Aperture	Polarized Filter Included	Wireless Link	Built-in G-Sensor / GPS Receiver	Parking Mode*	12V/24V Compatible	micro SD included	Dashcam Link	Simplified ADAS*	Dimensions (WxHxD) (Main Unit)
DRV-A700W	-	-	3.7M (2560 x 1440)	HDR	114° / 82°	F:1.8	•	•	• / •	CA-DR1030 Included	• / •	16GB	-	-	90mm x 61.3mm x 39.2mm
DRV-A601W	3.0"	•	8.3M (3840 x 2160)	WDR	129° / 72°	F:1.8	•	•	• / •	•*1	• / •	64GB	-	-	106mm x 50.5mm x 40.5mm
DRV-A501W	3.0"	•	3.7M (2560 x 1440)	HDR	126° / 110°	F:1.6	•	•	• / •	•*1	• / •	16GB	-	-	106mm x 50.5mm x 37mm
DRV-A301W	2.7"	-	2M (1920 x 1080)	HDR	115° / 61°	F:1.8	-	•	• / •	•*1	• / •	16GB	-	-	92mm x 46mm x 37mm
DRV-A201	2.7"	-	2M (1920 x 1080)	-	115° / 61°	F:1.8	-	-	• / •	•*1	• / •	16GB	-	-	88mm x 51mm x 37.5mm
DRV-A100	2.0"	-	1M (1280 x 720)	-	101° / 52°	F:2.4	-	-	• / -	•*1	• / •	16GB	-	-	54mm x 58mm x 37mm
KCA-R200	-	-	3.7M (2560 x 1440)	-	129° / 66°	F:2.0	-	-	-	•*1	• / •	-	-	-	63mm x 66mm x 36mm
KCA-R100	-	-	2M (1920 x 1080)	-	129° / 66°	F:2.0	-	-	-	•*1	• / •	-	-	-	63mm x 66mm x 36mm
DRV-N520	-	-	3M (2304 x 1296)	HDR	117° / 63°	F:2.0	-	-	• / •	-	• / -	8GB	•	•	79mm x 22mm x 48mm

\*1 Parking Mode require optional power cable \*2 Simplified ADAS (Advanced Driver Assistance System): Lane Departure Warning / Forward Collision Warning / Departure Delay Warning

### CMOS-740HD

HD Front/Rear View Camera

**HD**  
1280 x 720



### CMOS-230

Rear View Camera



### CMOS-320

Multi-View Camera



### KCA-HD200

HDMI (Type A) to HDMI (Type D) Cable. Cable Length: 1.8m



### CX-DAB1

In-car Digital Radio Glass-mounted Antenna



### CAX-HL10QI

Qi Wireless Charging Car Mount




### T9B-0073-00

Wired Bluetooth "Hands-Free" Microphone



### CA-DR1030

Dashcam Hardwire Kit for DRV-A series. Cable Length: 4.0m



### KCA-RCDV340

Remote Control for Multimedia Models



The product with this logo is conformed to Hi-Res Audio standard defined by Japan Audio Society. This logo is used under license from Japan Audio Society.

- Amazon, Alexa and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Alexa is not available in all languages and countries. Alexa features and functionality may vary by location.
- The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by JVCKENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- The "AAC" logo is a trademark of Dolby Laboratories.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, or iPod may affect wireless performance.
- Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with an Apple product may affect wireless performance.
- Apple, iPhone, iPod, iPod touch, and Lightning are trademarks of Apple Inc., registered in the U.S. and other countries.
- Apple, Siri, Apple CarPlay, Apple Music and Apple CarPlay logo are trademarks of Apple Inc., registered in the U.S. and other countries.
- App Store is a service mark of Apple Inc., registered in the U.S. and other countries.
- Google, Android, Android Auto, Google Maps and other marks are trademarks of Google LLC.

- Google Play and the Google Play logo are trademarks of Google LLC.
- YouTube and other marks are trademarks of Google LLC.
- The Wi-Fi CERTIFIED™ Logo is a certification mark of Wi-Fi Alliance®.
- Wi-Fi® is a registered trademark of Wi-Fi Alliance®.
- USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.
- iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.
- All other brands, product names, logos, or trademarks are the property of their respective holders.

For Support and Technical Information please visit [www.kenwood.com/cs/ce](http://www.kenwood.com/cs/ce)

All screen pictures in the catalogue are simulated.  
Design and specifications subject to change without notice.  
The photos of the products featured in this brochure may not be of actual products that are available in your country.  
Copyright © 2022, JVCKENWOOD Corporation. All Rights Reserved.

### JVCKENWOOD Europe B.V.

Remedensweg 20 B-9  
3641 SL Mijdrecht, The Netherlands  
E-mail: [info@nl.jvckenwood.com](mailto:info@nl.jvckenwood.com)  
[www.kenwood.nl](http://www.kenwood.nl)  
[www.kenwood.eu](http://www.kenwood.eu)



### JVCKENWOOD Europe B.V. Benelux Branch

Leuvensesteenweg 250A  
1800 Vilvoorde, Belgium  
E-mail: [info@be.jvckenwood.com](mailto:info@be.jvckenwood.com)  
[www.kenwood.be](http://www.kenwood.be)